

ver.4 このレシピのエネルギー		120	kcal	体重の0.75乗	1.74	kg	計算では	0.76	日分となります
参考の表へ 1日に与えるエネルギー		158	kcal	体 重	2.1	kg	実際は	1.0	日分とする
12/7(fri)		このレシピで摂取できる栄養				このレシピでの推奨量 *1			
		総重量 g 161.0				NRC AAFCO			
		水分 g 122.7				老齢犬用「小動物の臨床栄養学」より			
		乾燥重量 g 38.3				↓この範囲内！			
		エネルギー kcal 119.6				3.0 ～ 4.0			
		エネルギー密度 3.1 kcal/g							

アミノ酸(参考)					
このレシピで摂取できる量			このレシピでの推奨量		
			NRC		AAFCO
			体重0.75乗ベース	乾燥重量ベース	
	/DM	mg			
イソロイシン	0.9%	338	209	146	142
ロイシン	1.5%	576	384	261	226
リジン	1.4%	553	192	134	241
メチオニン	0.5%	186	192	126	
シスチン	0.3%	102			
メチオニン・シスチン計	0.7%	287	366	249	165
フェニルアラニン	0.9%	327	262	172	
チロシン	0.7%	261			
フェニルアラニン・チロシン計	1.5%	588	419	284	280
スレオニン	0.8%	319	244	165	184
トリプトファン	0.2%	95	80	54	61
バリン	1.0%	393	279	188	149
ヒスチジン	0.8%	302	108	73	69
アルギニン	1.2%	446	192	134	195

アミノ酸スコア(参考)						
このレシピで摂取できる量		窒素1gあたりの アミノ酸量	算定用評点ボタン		アミノ酸スコアを計算する(%)	
			1973年 (一般用)	1985年 (2-5歳)	1973年 (一般用)	1985年 (2-5歳)
	(mg)					
イソロイシン	338	290	250	180	116	161
ロイシン	576	493	440	410	112	120
リジン	553	474	340	360	139	132
メチオニン・シスチン計	287	246	220	160	112	154
フェニルアラニン・チロシン計	588	503	380	390	132	129
スレオニン	319	273	250	210	109	130
トリプトファン	95	82	60	70	136	117
バリン	393	337	310	220	109	153
ヒスチジン	302	259	-	120	-	215
全窒素量(g)	1.2					

